#### F-5-28

## **Thomas Maynard House**

#### **Architectural Survey File**

This is the architectural survey file for this MIHP record. The survey file is organized reverse-chronological (that is, with the latest material on top). It contains all MIHP inventory forms, National Register nomination forms, determinations of eligibility (DOE) forms, and accompanying documentation such as photographs and maps.

Users should be aware that additional undigitized material about this property may be found in on-site architectural reports, copies of HABS/HAER or other documentation, drawings, and the "vertical files" at the MHT Library in Crownsville. The vertical files may include newspaper clippings, field notes, draft versions of forms and architectural reports, photographs, maps, and drawings. Researchers who need a thorough understanding of this property should plan to visit the MHT Library as part of their research project; look at the MHT web site (mht.maryland.gov) for details about how to make an appointment.

All material is property of the Maryland Historical Trust.

Last Updated: 11-21-2003

Thomas Maynard House New London Private

The Thomas Maynard house is a large, two and one-half story, gable roofed Georgian residence of random coursed stone. The main section of the house is five bays wide. The front entrance, located in the center bay, is an unusually ornate frontispiece for this type of house in this area: a six-panel door with four light transom, recessed paneling and fluted Corinthian pilasters which support a dentiled hood.

The Thomas Maynard house is of particular significance to the New Market area as an excellent example of the fine stone construction used in at least twenty different stone residences in this region of Frederick County. The house also retains most of its original detailing, as many of the other examples in the area do not.

Throughout the building are finely beaded baseboards, chair rail and deep paneled windowsills. The beaded early nineteenth century handrail and staircase have remained intact as well as a built-in corner cupboard with original hardware and decorative carved wood trim. All of the mantelpieces in the residence are original. The mantel in the east room on the first level is decorated with intricate herringbone and diamond patterning.

According to Williams, <u>History of Frederick County</u>, the striking stone Maynard house was built in 1809 by Thomas Maynard, grandson of Nathan Maynard, who received a 1,208-acre tract, "Nathan's Undertaking," in 1765. In his will, probated October 15, 1794, Thomas Maynard requests that the "plantation whereon I now live" be left to his wife, Ann, "until her death or marriage," at which time the land would revert to son Thomas. Certainly a house was standing on the property by 1830 when Thomas Maynard (II) left the land to Benjamin Maynard and others. In 1850, a deed of partition between the heirs was made, leaving Howard Griffith and Jemma Scholl with the land where the house stands. The property remained in the Maynard family until 1911 when it was sold to Charles M. Fox.

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NA	TIONAL	REGISTER	OF HIST	ORIC PLA	CES
	INVEN'	TORY NO	MINATI	ON FORM	Ī

FOR NPS USE ONLY	
RECEIVED	
\$P\$ (1975年) (1986年)	

INVENTORY	NOMINATION	FORM DA	ATE ENTERED	
SEEI	NSTRUCTIONS IN HOW T TYPE ALL ENTRIES 0			S
NAME	717 2742 21411120	<u> </u>		
HISTORIC	homas Maynard house			
AND/OR COMMON				
LOCATION	1			
STREET & NUMBER	North side of Gas Ho of New London	ouse Pike, 1.5 m	iles northwest	
CITY, TOWN		VICINITY OF	CONGRESSIONAL DISTR Sixth	RICT
STATE	Maryland	CODE 24	county Frederick	CODE 021
CLASSIFIC	ATION			
CATEGORY DISTRICT  X_BUILDING(S) STRUCTURE SITE OBJECT	OWNERSHIP  _PUBLIC  _APRIVATE  _BOTH  PUBLIC ACQUISITION  _IN PROCESS  _BEING CONSIDERED	STATUS  LOCCUPIED  LUNOCCUPIED  WORK IN PROGRESS  ACCESSIBLE  YES: RESTRICTED  YES: UNRESTRICTED  LYON	PRES AGRICULTURE COMMERCIAL EDUCATIONAL ENTERTAINMENT GOVERNMENT INDUSTRIAL MILITARY	ENT USE  _MUSEUM _PARK X_PRIVATE RESIDENCE _RELIGIOUS _SCIENTIFIC _TRANSPORTATION _OTHER:
NAME Mr.	F PROPERTY  and Mrs. William F. I	Robey		
STREET & NUMBER ROU	te 1, Box 132			
city, town Mou	nt Airy <u>X</u>	VICINITY OF	STATE Maryland 21	771
LOCATION	OF LEGAL DESCR	IPTION		
COURTHOUSE. REGISTRY OF DEEDS,	ETC. Frederick County	y Courthouse		
STREET & NUMBER	Court Street			· · · · · · · · · · · · · · · · · · ·
CITY, TOWN	Frederick		STATE Maryland	
REPRESEN	TATION IN EXIST	ING SURVEYS		·
DATE		FEDERA1	STATECOUNTYLOCAL	
DEPOSITORY FOR SURVEY RECORDS	·			
CITY TOWN			CTATE	<del></del>

#### CONDITION

CHECK ONE

**CHECK ONE** 

X\_EXCELLENT

\_\_DETERIORATED

XUNALTERED

XORIGINAL SITE

\_\_FAIR

\_\_RUINS \_\_UNEXPOSED \_\_MOVED DATE\_\_\_\_\_

#### DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The Thomas Maynard house is a large, 2½-story, gable-roofed Georgian residence of random-coursed stone which faces south from the north side of Gas House Pike along Linganore Creek.

The main section of the house is five bays wide. The front entrance located in the center bay is an unusually ornate frontispiece for this type of house in this area: a six-panel door with four-light transom, recessed paneling and fluted Corinthian pilasters which support a dentiled hood. Occupying the remaining bays are replacement double-hung, 6/9 sash windows with replacement paneled shutters. Large, single stone lintels are located over each window on the first level. All walls are constructed of gray random-coursed stone, typical of many early stone residences in the New Market vicinity, but of superior quality. Large stone quoins support the corners of the building.

Adjoining the main part of the house on the west side is a one-story, stone kitchen addition with a gable roof and modern, open-front porch. The west gable of this addition is constructed of frame. A small, modern, one-story frame addition is located immediately to the rear of the kitchen section but is structurally independent of the house.

The replaced asphalt roof is finished by a plain boxed cornice. Original brick chimneys are located flush with each gable end of the main residence and on the west end of the kitchen additions. The entire structure is built on a random-coursed stone foundation. Unlike most houses in the region of New Market, the interior of the Thomas Maynard house still retains most of its original detail. Throughout the house is finely beaded chairrail, baseboards and deep-paneled window sills. The floor plan of the interior consists of a central hall with one room on each side. A simple but elegant banistered open well staircase leads to the second floor from the center hall of the house. In the adjacent east room the fireplace is framed by pilasters and a frieze with bed moldings, paneled central tablet and mantel shelf. The cornice of the mantel is decorated by an unusual diamond and herringbone design also reflected in the frontispiece of the door and a large built-in corner cupboard in the west room on the first level.

PERIOD	AR			
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	LANDSCAPE ARCHITECTURE	RELIGION
1400-1499	_ARCHEOLOGY-HISTORIC	CONSERVATION	_LAW	SCIENCE
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE
1600-1699	X_ARCHITECTURE	EDUCATION	MILITARY	_SOCIAL/HUMANITARIAN
1700-1799	ART	ENGINEERING	MUSIC	THEATER
<b>X</b> _1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	TRANSPORTATION
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	OTHER (SPECIFY)
		INVENTION		

SPECIFIC DATES 1809

BUILDER/ARCHITECT

Thomas Maynard

#### STATEMENT OF SIGNIFICANCE

The Thomas Maynard house is of particular significance to the New Market area as an excellent example of the fine stone construction used in at least twenty different stone residences in this region of Frederick County. The house also retains most of its original detailing, as many of the other examples in the area do not.

The interior woodwork in the house is of yery fine quality for its location on the Linganore Creek near New London, Maryland. [Throughout the building are finely beaded baseboards, chairrail and deep paneled window sills. The beaded early nineteenth century handrail and staircase have remained intact as well as a built-in corner cupboard with original hardware and decorative carved wood trim. All of the mantelpieces in the residence are original. The mantel in the east room on the first level is decorated with intricate herringbone and diamond patterning. Unusual features are the original rows of pegs on the second level for hanging clothes, and early wood flooring placed directly on the original wood floor in the west room on the first level.

According to Williams, <u>History of Frederick County</u>, the striking stone Maynard house was built in 1809 by Thomas Maynard, grandson of Nathan Maynard, who received a 1,208-acre tract, "Nathan's Undertaking," in 1765. In his will, probated October 15, 1794, Thomas Maynard requests that the "plantation whereon I now live" be left to his wife Ann "until her death or marriage," at which time the land would revert to son Thomas. Certainly a house was standing on the property by 1830 when Thomas Maynard(II) left the land to Benjamin Maynard and others. In 1850 a deed of partition between the heirs was made, leaving Howard Griffith and Jemma Scholl with the land where the house stands. The property remained in the Maynard family until 1911 when it was sold to Charles M. Fox.

- Land Grant Records, Hall of Records, Annapolis, Maryland, CFW-W-60, LC#1B-397, H. Hanford Hopkins, Researcher.
- 2 Frederick County Probate Records, Liber GM 3, folio 4.
- 3 Frederick County Probate Records, Liber GMRB 1, folio 216.
- 4 Frederick County Land Records, Liber WBT 11, folio 614.
- 5 Frederick County Land Records, Liber 294, folio 599.

### 9 MAJOR BIBLIOGRAPHICAL REFERENCES

Williams, T.J.C. History of Frederick County, Maryland. Reprint of 1910 ed. Baltimore: Regional Publishing Company, 1967. Land and Probate Records of Frederick County, Courthouse, Frederick, Maryland. IIIGEOGRAPHICAL DATA 5 acres ACREAGE OF NOMINATED PROPERTY \_\_\_\_\_ UTM REFERENCES **ZONE** VERBAL BOUNDARY DESCRIPTION SEE CONTINUATION SHEET #1. LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES CODE COUNTY STATE CODE CODE COUNTY CODE STATE FORM PREPARED BY  $1 \, \text{km}$ NAME / TITLE Cherilyn Widell ORGANIZATION DATE Frederick County Historic Preservation <u>January 18, 1978</u> (3<u>01) 663-8300</u> Winchester Hall CITY OR TOWN Frederick 21701 Maryland 12 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: STATE\_ LOCAL\_ NATIONAL -As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89-665). I hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according to the criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE DATE STATE HISTORIC PRESERVATION OFFICER FOR NPS USE ONLY I HEREBY CERTIFY THAT THIS PROPERTY IS INCLUDED IN THE NATIONAL REGISTER DATE DIRECTOR, OFFICE OF ARCHEOLOGY AND HISTORIC PRESERVATION ATTEST DATE KEEPER OF THE NATIONAL REGISTER

Form No. 10-300a (Hev. 10-74)

## UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

	FOR NPS USE ONLY			
	RECEIVED	*		
-				

# NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

Thomas Maynard house Frederick County

CONTINUATION SHEET Maryland

ITEM NUMBER 10

PAGE 1

DATE ENTERED

VERBAL BOUNDARY DESCRIPTION

Beginning for the same at a point 40 feet from the center line of Gas House Pike said point being 165 feet plus or minus in a northeast direction from the center of Linganore Creek thence leaving the aforesaid Gas House Pike to cross and include a part of the Harold Free Farm. North 32 degrees, 00' 00" west 425.41 feet; thence, north 46 degrees, 56' 19" east 409.25 feet; thence, south 24 degrees, 39' 14" east 243.45 feet; thence, running with the westerly edge of the gravel road south 82 degrees, 02' 00" east 231.12 feet; thence, south 26 degrees, 02' 00" east 173.79 feet to a point on Gas House Pike; thence, running on a curve to the left having an arc length of 225.71 feet a radius of 900 feet a cord bearing in length of south 68 degrees 31' 44" west 225.12 feet; thence, south 61 degrees 20' 40" west 309.14 feet to the place of beginning and containing 217,800 square feet or 5 acres of land.

